



**ENVIRONMENTAL
TESTING SERVICES LLC**

Lead and Copper in Drinking Water Sampling

Tiny Tots Spot

112 Lee Ave, New Brunswick, NJ 08901

**Inspection Company:
Environmental Testing Services LLC.
619 Wills Ave.
Deptford, NJ 08096**

**Laboratory:
Accurate Analytical Testing, LLC.
30105 Beverly Road,
Romulus MI 48174**

Lead in Drinking Water Sampling Date:

January 16th, 2023

Licensed State Lead Inspector
Risk Assessor
Matthew Stefkovic (License # NJ 036151)

January 16th, 2023

Tiny Tots Spot
112 Lee Ave.
New Brunswick, NJ 08901

**Re: Lead and Copper in Drinking Water Sampling
112 Lee Ave, New Brunswick, NJ 08901.**

Dear Client:

Environmental Testing Services, LLC. provided water testing for lead and copper on January 16th, 2023.

The purpose of this project was to sample the school's drinking water for the presence of lead and copper. Only first draw samples were collected during this inspection. Second draw water testing will be done if the first draw test shows lead and copper amounts exceeding the EPA limit of 15 ug/L for lead and 1300 ug/L for Copper. The locations of each testing location were given to the inspector earlier as to where the use of each water source frequently used.

Samples were collected in 250 ml bottles. Samples were immediately transported to Accurate Analytical Inc., a New Jersey Department of Environmental Protection (NJ DEP) certified laboratory for the analysis of the drinking water.

Based on the findings of the water testing date, the water sources are at acceptable levels in regards to lead and copper

Sample analysis results and the chain of custody are attached to this report.
If you should have any questions, please feel free to contact us at (856) 432-4468

Sincerely,

A handwritten signature in black ink that reads "Matthew Stefkovic". The signature is written in a cursive, flowing style.

Matthew Stefkovic,
Risk Assessor

Water Samples and Action Levels

The client was instructed by the inspector prior to the inspection to not to use any water source for at least six (6) hours before the inspection. The water samples were collected in 250 ml bottles. The samples were then transported to EMSL Analytical, Inc., a New Jersey Department of Environmental Protection (NJ DEP) certified laboratory for the analysis of the drinking water.

*The Action Levels that are determined from the EPA: "The concentration of lead or copper in tap water which determines whether a system may be required to install corrosion control treatment, collect water quality parameter samples, collect source water samples, replace lead service lines, and/or deliver public education about lead. The action level for lead is 0.015 mg/L or 15 ppb. The action level for copper is 1.3 mg/L or 1300 ppb." **For water**, 1 ppm = approximately 1 mg/L (also written as mg/l) of contaminant in water, and 1 ppb = 1 ug/L (also written as ug/l). A measurement of 6 mg/L is the same as 6 ppm or 6,000 ppb, which is equal to 6,000 ug/L.*

The results from the lab are given in ug/L.

Results of the sampling found all locations fell below the following thresholds of 15 ppb or 15 ug/L. for Lead and 1300 PPM or 1300 ug/L for Copper with regard to lead and copper.

Wipe Sample	Sampling Location Description	Laboratory Results <u>LEAD</u> (ug/L)	Laboratory Results <u>COPPER</u> (ug/L)	
A-1	KIT SINK	<2.0 PASS	91.3 PASS	
A-2	GIRLS BATH SINK	<2.0 PASS	39.8 PASS	
A-3	BOYS BATH SINK	<2.0 PASS	45.7 PASS	
A-4	3 RD FL BATH 1	3.2 PASS	37.9 PASS	
A-5	3 RD FL BATH 2	<2.0 PASS	69.1 PASS	
A-6	3 RD FL GIRLS BATH SINK	<2.0 PASS	85.6 PASS	
A-7	2 ND FL BOYS BATH SINK	10.6 PASS	104.9 PASS	
A-8	3 RD FL CLASS SINK	<2.0 PASS	100.4 PASS	
9				
10				
11				
12				
13				
14				
15				
1. The action level for lead is 0.015 mg/L or 15 ppb or 15ug/L. 2. The action level for copper is 1.3 mg/L or 1300 ppb or 1300 ug/L.				

LAB Results

Lead in Drinking water report.



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Lead In Drinking Water by EPA Method 200.5

Client : Environmental Testing Services
619 Wills Ave.
Deptford, NJ 08096
Attn : Mike Stefkovic **Email :** lead@ets-enviro.com
Phone : 215-432-4468 **Fax :**

AAT Project : 874828
Sampling Date : 01/16/2023
Date Received : 01/18/2023
Date Analyzed : 01/19/2023
Date Reported : 01/20/2023

Client Project : TINY TOS **Collected By:** **WSSN :**
Project Location : 112 LEE AVE NEW BRUNSWICK NJ

Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Lead µg/L (ppb)	Reporting Limit	Pb Threshold
8119940	A1	KIT SINK	PB-CU	0	<2.0	2.0	Below
8119941	A2	GIRLS BATH SINK	PB-CU	0	<2.0	2.0	Below
8119942	A3	BOYS BATH SINK	PB-CU	0	<2.0	2.0	Below
8119943	A4	3RD FL BATH 1	PB-CU	0	3.2	2.0	Below
8119944	A5	3RD FL BATH 2	PB-CU	0	<2.0	2.0	Below
8119945	A6	3RD FL GIRLS BATH SINK	PB-CU	0	<2.0	2.0	Below
8119946	A7	2ND FL BOYS BATH SINK	PB-CU	0	10.6	2.0	Below
8119947	A8	3RD FL CLASS SINK	PB-CU	0	2.0	2.0	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 2 µg/L (ppb) and for Cu is 2.5 µg/L (ppb).
For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated.
EPA Regulatory Limits: 15 µg/L for Pb and 1300 µg/L for Cu
The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted. All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed.
Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996
Date Printed: 01/20/2023

AAT Project: 874828

Copper in Drinking water



30105 Beverly Road
Romulus, MI 48174
Ph: 734-629-8161; Fax: 734-629-8431

Certificate of Analysis: Copper In Drinking Water by EPA Method 200.5

Client : Environmental Testing Services
619 Wills Ave.
Deptford, NJ 08096
Attn : Mike Stefkovic **Email :** lead@ets-enviro.com
Phone : 215-432-4468 **Fax :**

AAT Project : 874828
Sampling Date : 01/16/2023
Date Received : 01/18/2023
Date Analyzed : 01/19/2023
Date Reported : 01/20/2023

Client Project : TINY TOS **Collected By :** **WSSN :**
Project Location : 112 LEE AVE NEW BRUNSWICK NJ

Lab Sample ID	Client Code	Sample Description	Purpose	Collection Time	Results Copper µg/L (ppb)	Cu Threshold
8119940	A1	KIT SINK	PB-CU	0	91.3	Below
8119941	A2	GIRLS BATH SINK	PB-CU	0	39.8	Below
8119942	A3	BOYS BATH SINK	PB-CU	0	45.7	Below
8119943	A4	3RD FL BATH 1	PB-CU	0	37.9	Below
8119944	A5	3RD FL BATH 2	PB-CU	0	69.1	Below
8119945	A6	3RD FL GIRLS BATH SINK	PB-CU	0	85.6	Below
8119946	A7	2ND FL BOYS BATH SINK	PB-CU	0	104.9	Below
8119947	A8	3RD FL CLASS SINK	PB-CU	0	100.4	Below

Analyst Signature

Joseph Kenwabikise

ND = Not Detected, N/A = Not Available, RL = Reporting Limit, The Analytical Reporting Limit for Pb is: 2 µg/L (ppb) and for Cu is 2.5 µg/L (ppb).
For true values assume (2) significant figures. AAT internal SOP S230. The method and batch QC are acceptable unless otherwise stated.
EPA Regulatory Limits: 15 µg/L for Pb and 1300 µg/L for Cu
The laboratory operates in accord with NELAC guidelines and holds accreditation under the NY State DOH ELAP program. These results are submitted pursuant to AAT, LLC current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. Analytical results relate to the samples as received by the lab. AAT will not assume any liability or responsibility for the manner in which the results are used or interpreted.
All Quality control requirements for the samples this report contains have been met. Sample data apply only to items analyzed. Reproduction of this document other than in its entirety is not authorized by AAT, LLC. Samples are stored for 15 days following report date.



NY State DOH ELAP - Lab ID # 11864, Michigan State Lab # 9996

Date Printed: 01/20/2023

AAT Project: 874828

CHAIN OF CUSTODY

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz


30105 BEVERLY RD.
ROMULUS MI 48174
(734) 699-LABS (5227)
FAX: (734) 699-8407
 Website: www.accurate-test.com
 Email: customersupport@accurate-test.biz

PROJECT NUMBER: <i>Tiny Tos</i> SAMPLING DATE: <i>1/16/23</i>		TURNAROUND TIME (please check one) 24 Hour () 48 Hour (<input checked="" type="checkbox"/>) 72 Hour () 5 Days ()	
PROJECT ADDRESS: <i>112 Lee Ave. New Brunswick NJ</i>		If no TAT is indicated, default is 5 Days	
PERSON COLLECTING THE SAMPLES:		CLIENT COMMENTS	
LAB ID #	CLIENT SAMPLE ID	DESCRIPTION	SAMPLES SHIPPED SAMPLES ACIDIFIED Y N
			NY STATE SAMPLES (Check here) SAMPLE CONDITION SEALS INTACT Y N CONTAINERS LABELED Y N RECYD & ACCEPTED Y N SAMPLES ACIDIFIED Y N
			LAB REMARKS <div style="text-align: right; font-size: 2em; font-weight: bold;">2009</div>
SAMPLES RELINQUISHED BY: <i>[Signature]</i>		SAMPLES RECEIVED BY: <i>[Signature]</i>	
LAB PROJECT NUMBER		DATE	
874828		8/18/2023	
TIME		TIME	
AM		AM	
PM		PM	

By submitting samples to AAT, the client agrees to AAT's terms and conditions.
 AAT is not responsible for shipping delays.

* Sample Type or Purpose -- Key: Routine Distribution (RD) Check Sample (CS) Raw Water (RW) Process Water (PW) Investigation Number (IN)

LEAD CERTIFICATIONS
ETS LLC.
STATE OF NJ





PHILIP D. MURPHY
Governor
LOCATION
101 S BROAD ST
TRENTON NJ 08608

STATE OF NEW JERSEY
DEPARTMENT OF COMMUNITY AFFAIRS
DIVISION OF CODES AND STANDARDS
LEAD HAZARD UNIT

LT. GOVERNOR SHEILA Y. OLIVER
Commissioner
MAILING ADDRESS
101 S BROAD ST
TRENTON NJ 08618

Certificate - Lead Evaluation Contractor

RECERTIFIED

This is to certify that the Department of Community Affairs has certified

ENVIRONMENTAL TESTING SERVICES
619 WILLS AVE.
DEPTFORD NJ 08096

To act as a Lead Evaluation Contractor on the following Projects

Residential
Public Buildings

Cert #: 00531-E
Effective Date: 12/1/2022
Expiration Date: 11/30/2024
Certificate Type: 2 YEAR